

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
1	ALVARADO VERY COBBLY SANDY LOAM, 2 TO 5 PERCENT SLOPES								
		ALVARADO	85	36-72	None	Very limited	Very limited	Moderate	Low
10	FELTONIA SANDY LOAM, 2 TO 6 PERCENT SLOPES								
		FELTONIA	70	> 72	None	Not limited	Very limited	Moderately rapid	Very low
11	FELTONIA-COUTIS SANDY LOAMS, 6 TO 15 PERCENT SLOPES								
		FELTONIA	50	> 72	None	Somewhat limited	Very limited	Moderately rapid	Low
		COUTIS	35	> 72	None	Somewhat limited	Very limited	Moderately rapid	Low
12	GELKIE SANDY LOAM, 1 TO 10 PERCENT SLOPES								
		GELKIE	90	> 72	None	Not limited	Very limited	Moderate	Medium
13	GRANILE-PEELER COMPLEX, 25 TO 50 PERCENT SLOPES								
		GRANILE	60	> 72	None	Very limited	Very limited	Moderate	High
		PEELER	30	> 72	None	Very limited	Very limited	Moderate	High
14	HOODLE COBBLY SANDY LOAM, 1 TO 5 PERCENT SLOPES								
		HOODLE	95	> 72	None	Not limited	Very limited	Moderate	Low
15	LAKE CREEK-ROCK OUTCROP COMPLEX, 35 TO 65 PERCENT SLOPES								
		LAKE CREEK	50	> 72	None	Very limited	Very limited	Slow	High
		ROCK OUTCROP	30	> 72	None	Very limited	Very limited	Very slow	Very high
16	LAMPHER LOAM, 4 TO 20 PERCENT SLOPES								
		LAMPHER	90	> 72	None	Somewhat limited	Very limited	Moderate	Medium
17	LARAND VARIANT VERY STONY SANDY LOAM, 4 TO 25 PERCENT SLOPES								
		LARAND VARIANT	80	> 72	None	Very limited	Very limited	Moderate	Medium
18	LEADVILLE VERY COBBLY SANDY LOAM, WARM, 8 TO 20 PERCENT SLOPES								
		LEADVILLE	85	> 72	None	Very limited	Very limited	Moderate	Low
19	LIBEG EXTREMELY COBBLY SANDY LOAM, 5 TO 20 PERCENT SLOPES								
		LIBEG	80	> 72	None	Very limited	Very limited	Moderate	Medium
2	BECKS GRAVELLY LOAM, 1 TO 5 PERCENT SLOPES								
		BECKS	85	39-72	None	Somewhat limited	Very limited	Moderate	Low
20	MARTINSDALE GRAVELLY SANDY LOAM, 3 TO 12 PERCENT SLOPES								
		MARTINSDALE	95	> 72	None	Not limited	Very limited	Moderate	Medium

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
21	NORRISTON VERY COBBLY SANDY LOAM, 2 TO 6 PERCENT SLOPES								
		NORRISTON	80	> 72	None	Somewhat limited	Very limited	Moderately rapid	Very low
22	NORRISTON EXTREMELY COBBLY SANDY LOAM, 6 TO 15 PERCENT SLOPES								
		NORRISTON	80	> 72	None	Somewhat limited	Very limited	Moderately rapid	Low
23	NORRISTON EXTREMELY COBBLY SANDY LOAM, 15 TO 40 PERCENT SLOPES								
		NORRISTON	90	> 72	None	Very limited	Very limited	Moderately rapid	Medium
24	NORTHWATER VERY STONY LOAM, 20 TO 45 PERCENT SLOPES								
		NORTHWATER	80	> 72	None	Very limited	Very limited	Moderate	High
25	NOVARY LOAM, 0 TO 2 PERCENT SLOPES								
		NOVARY	85	12-72	None	Very limited	Very limited	Moderate	Low
26	PATENT LOAM, 3 TO 10 PERCENT SLOPES								
		PATENT	95	> 72	None	Not limited	Very limited	Moderate	Medium
27	PEELER SANDY LOAM, 10 TO 30 PERCENT SLOPES								
		PEELER	75	> 72	None	Very limited	Very limited	Slow	High
28	PILTZ LOAM, 5 TO 20 PERCENT SLOPES								
		PILTZ	75	> 72	None	Somewhat limited	Very limited	Slow	Very high
29	REDFEATHER-ROCK OUTCROP COMPLEX, 5 TO 35 PERCENT SLOPES								
		REDFEATHER	60	> 72	None	Very limited	Very limited	Slow	Very high
		ROCK OUTCROP	20	> 72	None	Very limited	Very limited	Very slow	Very high
3	BOYLE VERY GRAVELLY SANDY LOAM, WARM, 4 TO 25 PERCENT SLOPES								
		BOYLE	75	> 72	None	Very limited	Very limited	Moderate	Medium
30	ROGERT-ROCK OUTCROP COMPLEX, 20 TO 45 PERCENT SLOPES								
		ROGERT	50	> 72	None	Very limited	Very limited	Slow	Very high
		ROCK OUTCROP	30	> 72	None	Very limited	Very limited	Very slow	Very high
31	ROGERT-WOODHALL EXTREMELY COBBLY SANDY LOAMS, 20 TO 45 PERCENT								
		ROGERT	50	> 72	None	Very limited	Very limited	Slow	Very high
		WOODHALL	35	> 72	None	Very limited	Very limited	Slow	Very high
32	SILVERCLIFF GRAVELLY SANDY LOAM, 1 TO 4 PERCENT SLOPES								
		SILVERCLIFF	90	> 72	None	Not limited	Very limited	Moderately rapid	Very low

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
33	SILVERCLIFF COBBLY SANDY LOAM, 15 TO 35 PERCENT SLOPES								
		SILVERCLIFF	85	> 72	None	Very limited	Very limited	Moderately rapid	Medium
34	SILVERCLIFF VERY COBBLY SANDY LOAM, 30 TO 50 PERCENT SLOPES								
		SILVERCLIFF	95	> 72	None	Very limited	Very limited	Moderately rapid	Medium
35	SKUTUM FINE SANDY LOAM, 5 TO 20 PERCENT SLOPES								
		SKUTUM	80	> 72	None	Somewhat limited	Very limited	Slow	Very high
36	SPLITRO-ROCK OUTCROP COMPLEX, 25 TO 55 PERCENT SLOPES								
		SPLITRO	55	> 72	None	Very limited	Very limited	Slow	Very high
		ROCK OUTCROP	30	> 72	None	Very limited	Very limited	Very slow	Not Rated
37	STUMPP VARIANT LOAM, 1 TO 4 PERCENT SLOPES								
		STUMPP VARIANT	85	51-72	Occasional	Very limited	Very limited	Slow	High
38	TERRIC BOROSAPRISTS, NEARLY LEVEL								
		TERRIC BOROSAPRISTS	85	> 72	Occasional	Very limited	Very limited	Slow	Medium
39	TRIPIT, WARM-SPLITRO SANDY LOAMS, 5 TO 20 PERCENT SLOPES								
		TRIPIT	60	> 72	None	Somewhat limited	Very limited	Very slow	High
		SPLITRO	30	> 72	None	Very limited	Very limited	Slow	Very high
4	BOYLE-ROCK OUTCROP COMPLEX, WARM, 25 TO 55 PERCENT SLOPES								
		BOYLE	75	> 72	None	Very limited	Very limited	Moderate	High
		ROCK OUTCROP	25	> 72	None	Very limited	Very limited	Very slow	Very high
40	TROUTDALE-ROBERT COMPLEX, 5 TO 15 PERCENT SLOPES								
		TROUTDALE	65	> 72	None	Somewhat limited	Very limited	Moderate	Medium
		ROBERT	20	> 72	None	Very limited	Very limited	Slow	Very high
41	TROUTVILLE EXTREMELY COBBLY SANDY LOAM, 4 TO 15 PERCENT SLOPES								
		TROUTVILLE	90	> 72	None	Very limited	Very limited	Moderately rapid	Low
42	TROUTVILLE EXTREMELY STONY SANDY LOAM, 25 TO 60 PERCENT SLOPES								
		TROUTVILLE	90	> 72	None	Very limited	Very limited	Moderately rapid	Medium
43	ULA COBBLY SANDY LOAM, 5 TO 20 PERCENT SLOPES								
		ULA	80	> 72	None	Somewhat limited	Very limited	Moderate	Medium

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
44	ULA-LEADVILLE COMPLEX, 25 TO 60 PERCENT SLOPES								
		ULA	50	> 72	None	Very limited	Very limited	Moderate	High
		LEADVILLE	30	> 72	None	Very limited	Very limited	Moderate	Medium
45	ULA-SPLITRO COMPLEX, 5 TO 20 PERCENT SLOPES								
		ULA	45	> 72	None	Somewhat limited	Very limited	Moderate	Medium
		SPLITRO	40	> 72	None	Very limited	Very limited	Slow	Very high
46	VENABLE LOAM, 1 TO 4 PERCENT SLOPES								
		VENABLE	85	21-72	Occasional	Very limited	Very limited	Moderate	Low
47	VENABLE COBBLY CLAY LOAM, 3 TO 10 PERCENT SLOPES								
		VENABLE	85	24-72	None	Very limited	Very limited	Moderately slow	High
48	WICHUP PEAT, 1 TO 3 PERCENT SLOPES								
		WICHUP	75	> 72	Frequent	Very limited	Very limited	Moderately rapid	Very low
49	WIX SANDY LOAM, 3 TO 25 PERCENT SLOPES								
		WIX	85	> 72	None	Somewhat limited	Very limited	Moderate	Medium
5	BUENA VISTA SANDY LOAM, 3 TO 20 PERCENT SLOPES								
		BUENA VISTA	85	> 72	None	Very limited	Very limited	Slow	High
50	WOODHALL-ROGERT EXTREMELY COBBLY SANDY LOAMS, 5 TO 20 PERCENT								
		WOODHALL	50	> 72	None	Very limited	Very limited	Slow	High
		ROGERT	40	> 72	None	Very limited	Very limited	Slow	Very high
51	CATHEDRAL FAMILY-ROCK OUTCROP COMPLEX, 40 TO 150 PERCENT SLOPES, RUBBLY								
		CATHEDRAL FAMILY	60	> 72	None	Very limited	Very limited	Very slow	Very high
		ROCK OUTCROP	25	> 72	None	Very limited	Very limited	Very slow	Very high
52	CATHEDRAL FAMILY, MOIST-ROCK OUTCROP COMPLEX, 40 TO 150 PERCENT SLOPES, RUBBLY								
		CATHEDRAL FAMILY	60	> 72	None	Very limited	Very limited	Very slow	Very high
		ROCK OUTCROP	25	> 72	None	Very limited	Very limited	Very slow	Very high
53	HECHTMAN-GUFFEY FAMILIES COMPLEX, 40 TO 60 PERCENT SLOPES, EXTREMELY BOULDERY								
		HECHTMAN FAMILY	55	> 72	None	Very limited	Very limited	Very slow	High
		GUFFEY FAMILY	30	> 72	None	Very limited	Very limited	Moderately slow	High

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
54	HECHTMAN-ASHCROFT FAMILIES COMPLEX, 5 TO 25 PERCENT SLOPES, EXTREMELY BOULDERY								
		HECHTMAN FAMILY	60	> 72	None	Very limited	Very limited	Very slow	High
		ASHCROFT FAMILY	25	> 72	None	Very limited	Very limited	Moderately rapid	Low
55	MERINO FAMILY-ROCK OUTCROP COMPLEX, 40 TO 150 PERCENT SLOPES, EXTREMELY BOULDERY								
		MERINO FAMILY	55	> 72	None	Very limited	Very limited	Moderately rapid	Medium
		ROCK OUTCROP	30	> 72	None	Very limited	Very limited	Very slow	Very high
56	ROBERT FAMILY-CRYOBOROLLS COMPLEX, 5 TO 65 PERCENT SLOPES, VERY STONY								
		ROBERT FAMILY	50	> 72	None	Very limited	Very limited	Very slow	Very high
		CRYOLLS	35	> 72	Rare	Very limited	Very limited	Moderate	Medium
57	SILAS FAMILY-CRYAQUOLLS ASSOCIATION, 0 TO 15 PERCENT SLOPES								
		SILAS FAMILY	60	> 72	None	Somewhat limited	Very limited	Moderate	Medium
		CRYAQUOLLS	25	0-72	Occasional	Very limited	Very limited	Moderately slow	Medium
58	TEASPOON-TRAG FAMILIES COMPLEX, 25 TO 40 PERCENT SLOPES, EXTREMELY STONY								
		TEASPOON FAMILY	55	> 72	None	Very limited	Very limited	Very slow	Very high
		TRAG FAMILY	30	> 72	None	Very limited	Very limited	Moderate	High
6	BUFFORK SANDY LOAM, WARM, 5 TO 12 PERCENT SLOPES								
		BUFFORK	80	> 72	None	Somewhat limited	Very limited	Slow	High
7	BUFFORK VARIANT COBBLY SANDY LOAM, 20 TO 40 PERCENT SLOPES								
		BUFFORK VARIANT	80	> 72	None	Very limited	Very limited	Moderate	High
8	COUTIS SANDY LOAM, 2 TO 5 PERCENT SLOPES								
		COUTIS	95	> 72	None	Not limited	Very limited	Moderately rapid	Very low
9	COUTIS SANDY LOAM, 5 TO 15 PERCENT SLOPES								
		COUTIS	80	> 72	None	Somewhat limited	Very limited	Moderately rapid	Low